

Parts and Equipment Guide

For LC Systems

This document is provided to customers who have purchased SCIEX equipment to use in the operation of such SCIEX equipment. This document is copyright protected and any reproduction of this document or any part of this document is strictly prohibited, except as SCIEX may authorize in writing.

Software that may be described in this document is furnished under a license agreement. It is against the law to copy, modify, or distribute the software on any medium, except as specifically allowed in the license agreement. Furthermore, the license agreement may prohibit the software from being disassembled, reverse engineered, or decompiled for any purpose. Warranties are as stated therein.

Portions of this document may make reference to other manufacturers and/or their products, which may contain parts whose names are registered as trademarks and/or function as trademarks of their respective owners. Any such use is intended only to designate such products as those manufacturers' products and does not imply any right and/or license to use or permit others to use such manufacturers' and/or their product names as trademarks.

SCIEX warranties are limited to those express warranties provided at the time of sale or license of its products and are the sole and exclusive representations, warranties, and obligations of SCIEX. SCIEX makes no other warranty of any kind whatsoever, expressed or implied, including without limitation, warranties of merchantability or fitness for a particular purpose, whether arising from a statute or otherwise in law or from a course of dealing or usage of trade, all of which are expressly disclaimed, and assumes no responsibility or contingent liability, including indirect or consequential damages, for any use by the purchaser or for any adverse circumstances arising therefrom. (GEN-IDV-09-10816-E)

For Research Use Only. Not for use in Diagnostic Procedures.

Trademarks and/or registered trademarks mentioned herein, including associated logos, are the property of AB Sciex Pte. Ltd., or their respective owners, in the United States and/or certain other countries (see sciex.com/trademarks).

AB Sciex[™] is being used under license.

© 2023 DH Tech. Dev. Pte. Ltd.

EC AuthorizedAB Sciex Netherlands B.V.Person1e Tochtweg 11,
2913LN Nieuwerkerk aan den Ijssel
Netherlands

Contents

| 1 Introduction | 4 |
|---|----|
| 2 ExionLC 2.0 System | 5 |
| 3 ExionLC AE System | 12 |
| 4 Shimadzu LC-40 System | |
| Contact Us | |
| Customer Training | 21 |
| Online Learning Center SCIEX Support | 21 |
| SCIEX Support | 21 |
| CyberSecurity | 21 |
| Documentation | 21 |

Customers can order and replace only the parts and equipment in this guide. To order parts and equipment, go to SCIEX Now.

Note: For information about parts not included in this document, go to SCIEX Now.

WARNING! Personal Injury Hazard. Use SCIEX-recommended parts only. The use of parts that are not recommended by SCIEX or the use of parts for any purpose other than their intended purpose can put the user at risk of harm or have a negative effect on system performance.

Table 2-1 Spare Parts

| Part Number | Description |
|-------------|--|
| 5080065 | Accessory kit for ExionLC 2.0 autosampler |
| 5080051 | Accessory kit for ExionLC 2.0 Binary Pump |
| 5081483 | Accessory kit for ExionLC 2.0 Binary Pump+ |
| 5080294 | Accessory kit for ExionLC 2.0 Column switching kit (eight columns) |
| 5080293 | Accessory kit for ExionLC 2.0 Column switching kit (two columns) |
| 5080050 | Accessory kit for ExionLC 2.0 LPG Pump |
| 5081461 | Adapter, waste cap, 8 mm tubing |
| 5080055 | Air needle, black, 80 mm |
| 5080736 | Air needle, blue, 68 mm |
| 5080737 | Air needle, green, 74 mm |
| 5080735 | Air needle, natural, 62 mm |
| 5080734 | Air needle, red, 56 mm |
| 5080733 | Air needle, yellow, 50 mm |
| 5080073 | Allen wrench, Torx, T10 |
| 5080064 | Bottle, 250 mL, plastic, rectangular |
| 5087602 | Bottle set, 4x 1L, with caps |
| 5083232 | Box, ExionLC 2.0 autosampler, including padding |
| 5083231 | Box,ExionLC 2.0 Column Oven, including padding |
| 5083565 | Box, ExionLC 2.0 detectors, including padding |
| 5083566 | Box, ExionLC 2.0 pumps, including padding |

| Part Number | Description |
|-------------|--|
| 5083564 | Box, Valve Drive, including padding |
| 5080731 | Buffer tubing, 2000 μL, with fittings |
| 5080730 | Buffer tubing, 500 μL, with fittings |
| 5086149 | Bushing kit, ceramic pump head, Wash System-200 |
| 5085870 | Capillary Adapter, pack of 4 |
| 5085873 | Capillary Holder, self-adhesive, pack of 4 |
| 5083180 | Capillary, filter to mixer, for ExionLC 2.0 Binary Pump-200+ |
| 5083179 | Capillary, purge valve to filter, ExionLC 2.0+ |
| 5083171 | Capillary, SS, 150 mm for ExionLC 2.0 Binary Pump-200+ |
| 5083172 | Capillary, SS, 300 mm for ExionLC 2.0 Binary Pump-200+ |
| 5083181 | Capillary, valve to main pressure sensor |
| 5080925 | Check valve, dummy, ExionLC 2.0 pump |
| 5081225 | Check valve, ExionLC 2.0 pump heads |
| 5085869 | Double Tee, Wash System-200 |
| 5081564 | ExionLC 2.0 torque wrench insert set |
| 5078657 | ExionLC 2.0 Sample Loop 10 μL |
| 5078659 | ExionLC 2.0 Sample Loop 100 µL |
| 5078655 | ExionLC 2.0 TOOL KIT |
| 5078643 | FCSS10-200 ExionLC 2.0 Detector Flow Cell 50 bar |
| 5078645 | FCSS50-200 ExionLC 2.0 Detector Flow Cell HS 50 bar |
| 5078647 | FCTI10-200 ExionLC 2.0 Detector Flow Cell 300 bar |
| 5087205 | Ferrule, Stainless steel, 1/16" |
| 5081460 | Filter, exhaust, ExionLC 2.0 system |
| 5080846 | Filter, inline, ExionLC 2.0 pump |
| 5083170 | Filter, inline for ExionLC 2.0 high pressure pump |
| 5081465 | Filter, solvent inlet, with fitting, ExionLC 2.0system |
| 5080056 | Fuse, 2.5AT (µL) |

Table 2-1 Spare Parts (continued)

| Part Number | Description | |
|-------------|--|--|
| 5080052 | General accessory kit for ExionLC 2.0 system modules | |
| 5083198 | Guide, upper capillary, ExionLC 2.0 Binary Pump-200+ | |
| 5082705 | Kit, 1 mL, for ExionLC 2.0 Autosampler and Autosampler+ | |
| 5081237 | Kit, fitting, solvent tubing, ExionLC 2.0 system | |
| 5081234 | Kit, leak management, ExionLC 2.0 system | |
| 5081469 | Kit, PM, ExionLC 2.0 Autosampler | |
| 5081470 | Kit, PM, ExionLC 2.0 Autosampler+ | |
| 5081486 | Kit, pump deairation, ExionLC 2.0 system | |
| 5081485 | Kit, pump head seal tool, ExionLC 2.0 pump + | |
| 5083203 | Kit, pump head wear parts, for ExionLC 2.0 Binary Pump-200+ | |
| 5082719 | Kit, purge valve outlet tubing | |
| 5082707 | Kit, seal tools for Binary Pump-200 and LPGP-200 pump heads | |
| 5081233 | Kit, tubing, 1/8 inch o.d., with fittings | |
| 5081238 | Kit, tubing, ExionLC 2.0 Binary Pump | |
| 5081235 | Kit, tubing, degas to pump, ExionLC 2.0 system | |
| 5081239 | Kit, tubing, ExionLC 2.0 LPG Pump | |
| 5081236 | Kit, tubing, with fittings, ExionLC 2.0 LPG Pump | |
| 5080868 | Lamp, deuterium, ExionLC 2.0 Detector Diode Array Detector/ Multi Wavelength Detector | |
| 5080866 | Lamp, deuterium, ExionLC 2.0 Detector Diode Array Detector, High Sensitivity | |
| 5080867 | Lamp, halogen, ExionLC 2.0 Detector Diode Array Detector, High Sensitivity | |
| 5087203 | Luer-Lock Adapter, ETFE | |
| 5081229 | Mixer, 50 μL, ExionLC 2.0 pump | |
| 5087209 | Nut, stainless steel, 1/16" | |
| 5081222 | O-ring, ExionLC 2.0 pump heads | |
| 5083186 | O-ring, pump head, ExionLC 2.0 Binary Pump-200+ | |

Table 2-1 Spare Parts (continued)

| Part Number | Description |
|-------------|---|
| 5080044 | Patch cable CAT5e RJ45/RJ45, 3 m |
| 5081220 | Piston, ExionLC 2.0 pump heads |
| 5083182 | Piston, ExionLC 2.0 Binary Pump-200+ and LPGP-200+ |
| 5080725 | Plate, 84 × 1.5 mL vials, 3 × 10 mL vials |
| 5080058 | Plate, vial, 48 × 1.5 mL |
| 5083196 | Plug, purge valve, ExionLC 2.0 Binary Pump-200+ |
| 5087211 | PM Kit, ExionLC 2.0 Binary Pump+ |
| 5081563 | PM Kit, ExionLC 2.0 Binary Pump |
| 5081562 | PM Kit, ExionLC 2.0 LPG Pump |
| 5080924 | Pump head, 10 mL, stainless steel, 1240 bar ExionLC 2.0 system |
| 5080923 | Pump head, 10 mL, stainless steel, 860 bar ExionLC 2.0 system |
| 5083191 | Pump head backing ring, ExionLC 2.0 Binary Pump-200+ |
| 5083193 | Pump head inlet bushing, ExionLC 2.0 Binary Pump-200+ |
| 5083192 | Pump head outlet bushing, ExionLC 2.0 Binary Pump-200+ |
| 5083188 | Pump head seal, high pressure, ExionLC 2.0 Binary Pump-200+ |
| 5083190 | Pump head seal, low pressure, ExionLC 2.0 Binary Pump-200+ |
| 5083189 | Pump head spring, compression, ExionLC 2.0 Binary Pump-200+ |
| 5081223 | Ring, Backing, ExionLC 2.0 pump heads |
| 5081228 | Rotor seal, 1000 bar, polyimide-based plastic, ExionLC 2.0 Autosampler |
| 5080853 | Rotor seal, 6-port, 2-position, ExionLC 2.0 system |
| 5086108 | Rotor seal, 6-port multi position Wash System-200 |
| 5080729 | Rotor seal, 6+1 port, polyimide-based plastic, 1240 bar |
| 5081232 | Rotor seal, 8-port, multi-position |

Table 2-1 Spare Parts (continued)

| Part Number | Description |
|-------------|---|
| 5086109 | Rotor seal, 8-port, multi-position Wash System-200 |
| 5083194 | Rotor seal, purge valve, ExionLC 2.0 Binary Pump-200+ |
| 5080742 | Sample loop, 10 µL, stainless steel, with fittings |
| 5078658 | Sample loop, 50 µL |
| 5080741 | Sample loop, 100 µL, stainless steel, with fittings |
| 5078660 | Sample loop, 250 μL |
| 5078661 | Sample loop, 1000 μL |
| 5078662 | Sample loop, 2000 μL |
| 5080732 | Sample needle, 60 µL, stainless steel |
| 5080744 | Sample needle, 15 µL, stainless steel, with fittings |
| 5081224 | Seal, High Pressure, ExionLC 2.0 pump heads |
| 5081221 | Seal, low pressure, ExionLC 2.0 pump heads |
| 5078670 | SECURITY CAP SEALING PLUG |
| 5078669 | SECURITY CAP STARTER KIT / 1 CAP |
| 5078668 | SECURITY CAP STARTER KIT / 4 CAPS |
| 5078666 | SECURITY LINK 100 µm i.d. × 500 mm LG SS |
| 5078665 | SECURITY LINK 100 µm i.d. × 350 mm LG SS |
| 5078667 | SECURITY LINK 100 µm i.d. × 600 mm LG SS |
| 5086515 | SECURITY LINK 100 µm i.d. × 1000 mm SS |
| 5080072 | Silicon tubing, 1 mm i.d. |
| 5081226 | Spring, Compression, ExionLC 2.0 pump heads |
| 5080852 | Stator, 6-port, 2-position |
| 5080922 | Stator, 8-port, multi-position |
| 5086110 | Stator, 8-port, multi-position Wash System-200 |
| 5080727 | Syringe, 2,500 μL |
| 5080726 | Syringe, 250 μL |
| 5087204 | Syringe, 60 mL, Luer-lock, PE/PP |

Table 2-1 Spare Parts (continued)

| Part Number | Description |
|-------------|--|
| 5080743 | Syringe valve, ExionLC 2.0 autosampler |
| 5080865 | TC-200 Cell, Test, ExionLC 2.0 detector |
| 5080740 | Tee, waste collection, ExionLC 2.0 autosampler |
| 5082414 | Tool, seal replacement for ExionLC 2.0+ Binary Pump-200+ |
| 5085875 | Tubing #1, Degasser to Tee, Wash System-200 |
| 5085881 | Tubing #2, Tee to syringe valve, Wash System-200 |
| 5085882 | Tubing #3, syringe valve to wash valve, Wash System-200 |
| 5085883 | Tubing #4, Wash Valve to autosampler sample valve, Wash System-200 |
| 5085884 | Tubing #5, Tee to SSV, Wash System-200 |
| 5085890 | Tubing #6, SSV to pump, Wash System-200 |
| 5085851 | Tubing #7, Tee to syringe valve, Wash System-200 |
| 5085868 | Tubing #8, Pump to wash valve, Wash System-200 |
| 5087603 | Tubing #9, Wash valve to autosampler wash port, Wash System-200 |
| 5085879 | Tubing, buffer, 250 µL, Autosampler-200 |
| 5083175 | Tubing, FEP, 115 mm long x 0.5 mm i.d. |
| 5083176 | Tubing, FEP, 170 mm long x 0.5 mm i.d. |
| 5083177 | Tubing, FEP, 190 mm long x 0.5 mm i.d. |
| 5083174 | Tubing, FEP, 200 mm long x 0.5 mm i.d. |
| 5083178 | Tubing, FEP, 60 mm long x 0.8 mm i.d. |
| 5088257 | Tubing, SS, Pump A to Aux pressure sensor A |
| 5088261 | Tubing, SS, Aux pressure sensor A to Aux pump A |
| 5088263 | Tubing, SS, Purge valve to main pressure sensor |
| 5088265 | Tubing, SS, Aux pump B to purge valve |
| 5088270 | Tubing, SS, Aux pump A to purge valve |
| 5088272 | Tubing, SS, Aux pressure sensor B to Aux pump B |
| 5088274 | Tubing, SS, Pump B to Aux pressure sensor B |

Table 2-1 Spare Parts (continued)

| Part Number | Description |
|-------------|--|
| 5080926 | Tubing, U connector, ExionLC 2.0 pump |
| 5086151 | Valve head, 6-port, multi-pos, 1/16", Wash Station-200 |
| 5086152 | Valve head, 8-port, multi-pos, 1/8", Wash Station-200 |
| 5081462 | Waste can, 10 L |
| 5081565 | Wrench set, Torx |

Table 2-1 Spare Parts (continued)



WARNING! Personal Injury Hazard. Use SCIEX-recommended parts only. The use of parts that are not recommended by SCIEX or the use of parts for any purpose other than their intended purpose can put the user at risk of harm or have a negative effect on system performance.

Table 3-1 Pump Spare Parts

| Part Number | Description | Notes |
|--------------|---|---|
| 228-52964-42 | Check valve, input-UHP TP | Quantity: 2 pc |
| 228-53334-96 | Check valve, out-UHP Assembly New Type | Quantity: 2 pc |
| 228-55272-41 | Diaphragms, PTFE, 2-pack | Quantity: 1 pc |
| | | Replace during plunger replacement. |
| 4425375 | Drain tube assembly | — |
| 4426171 | Ferrule, white PTFE, for 3 mm OD tubing | — |
| 4426107 | Filter assembly, suction | Quantity: 1 pc |
| 228-57501-92 | Filter, inline | Quantity: 1 pc |
| 4426106 | Filter, solvent suction | Quantity: 1 pc |
| 4425410 | Nut, PEEK | Used to connect tubing. |
| 4425342 | Nut, male, PEEK, 1.6 mn, narrow head, for 1/16" o.d. tubing | |
| 5041624 | Plunger with holder assembly and diaphragm | Quantity: 2 pc |
| 5050410 | Plunger seal, with backup ring | Quantity: 2 pc |
| 228-57647-43 | Tool kit | Includes necessary tools for maintenance. |
| 4413343 | Tubing, ETFE, 1.6 mm o.d. × 0.8 mm ID, length 1 m | — |

| Part Number | Description | Notes |
|-------------|---|-------|
| 4426176 | Tubing, FEP, 3 mm o.d. × 1.5 mm ID, length 1 m | — |

Table 3-2 Autosampler Spare Parts

| Part Number | Description | Notes |
|--------------|--|--------------------|
| 228-67725-41 | Cap, rinse port, no hole, 10 pcs | — |
| 228-67725-43 | Cover, rinse port | Rinse port cover |
| 4426106 | Filter, suction | — |
| 4426113 | Fitting, flangeless P330 | — |
| 4412723 | Fuse 218, 6.3 A, 5.2 × 20 | — |
| 228-71840-44 | Label, for 384 well deep well plates (100 pc set) | Recognition labels |
| 228-71840-43 | Label, for 384 well microplates (100 pc set) | Recognition labels |
| 228-71840-42 | Label, for 96 well deep wellplates (100 pc set) | Recognition labels |
| 228-71840-41 | Label, for 96 well microplates (100 pc set) | Recognition labels |
| 228-64909-98 | Needle, coated | — |
| 228-64909-97 | Needle, uncoated | — |
| 4412813 | Nut, male, stainless steel, for 1/16" i.d. tubing (W6 hex portion) | |
| 5079896 | Plate, micro tube | — |
| 228-35010-92 | Plunger assembly | — |
| 228-71780-42 | Rotor seal, HPV | — |
| 228-71780-43 | Rotor seal, LPV | _ |
| 228-63132-45 | Sample loop, 100 µL | — |
| 228-63132-44 | Sample loop, 50 µL | — |

| Part Number | Description | Notes |
|--------------|--|-------|
| 228-63132-45 | Sample loop, for loop injection, 100 µL | — |
| 228-71759-43 | Sample loop, for loop injection, 20 µL | — |
| 228-71759-42 | Sample loop, for loop injection, 5 μL | — |
| 228-71759-44 | Sample loop, for loop injection, 50 μL | — |
| 4425339 | Seal plunger, black GFP, for Autosampler Metering Pump | — |
| 228-64364-42 | Seal, needle | — |
| 228-53184-91 | Tubing, 0.1 × 600 mm, pre- bent stainless steel tubing and fittings | — |
| 4426135 | Tubing, FEP, 2 mm i.d. × 3 mm o.d. | — |
| 5079893 | Vial plate, 1 mL | — |
| 5079897 | Vial plate, 1.5 mL | — |
| 5079895 | Vial plate, 10 mL | — |
| 5079894 | Vial plate, 4 mL | — |
| 4413360 | Vial, Shimadzu, 1.1 mL, 100/pkg including caps | — |
| 4425149 | Vial, Shimadzu, 4 mL pp, 100/pkg | |
| 4425150 | Vial, Shimadzu, disposable, 200/pkg | |

Table 3-2 Autosampler Spare Parts (continued)

Table 3-3 Degasser Spare Parts

| Part Number | Description | Notes |
|--------------|---|-------|
| 228-56687-43 | Ferrule, white PTFE, for1/8" o.d. tubing | — |
| 228-54509-02 | Filter, air intake, 2-pack | — |

Table 3-3 Degasser Spare Parts (continued)

| Part Number | Description | Notes |
|--------------|---------------------------|-------|
| 228-56687-42 | Nut, for 1/8" o.d. tubing | — |

Table 3-4 Oven Spare Parts

| Part Number | Description | Notes |
|-------------|-----------------------------|-------|
| 4412722 | Fuse, 5.0A/T/250V, 5.2 × 20 | _ |

Table 3-5 Detector Spare Parts

| Part Number | Description | Notes |
|--------------|---------------------------|------------------------------------|
| 4425123 | Gasket, flow cell, 2-pack | — |
| 228-73407-00 | Lamp, deuterium | For the ExionLC AE UV DETECTOR |
| 228-63621-02 | Lamp, deuterium | For the ExionLC AE PDA DETECTOR |
| 228-73443-00 | Lamp, tungsten | For the ExionLC AE UV DETECTOR |
| 228-73309-00 | Lamp, tungsten | For the ExionLC AE PDA DETECTOR |

WARNING! Personal Injury Hazard. Use SCIEX-recommended parts only. The use of parts that are not recommended by SCIEX or the use of parts for any purpose other than their intended purpose can put the user at risk of harm or have a negative effect on system performance.

Table 4-1 Pump Spare Parts

| Part Number | Description | Notes |
|--------------|---|---|
| 5039288 | Check valve, inlet, for LC-40D/DXR/BXR | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 228-52964-42 | Check valve, Input-UHP TP | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 228-45705-43 | Check valve, outlet, for LC-40D/DXR/BXR | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 228-53334-96 | Check valve, Out-UHP Assembly New Type | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 228-55272-41 | Diaphragms, PTFE, 2-pack | Dual (D/DXR/DX3): 1 pc Binary (BXR/BX3): 2 pc Replace during plunger replacement. |
| 4425375 | Drain tube assembly | — |
| 4462590 | Ferrule, stainless steel, 1/16" o.d. 3 pcs | — |
| 4426171 | Ferrule, white PTFE, for 3 mm o.d. tubing | — |
| 4426107 | Filter assembly, suction | Dual (D/DXR/DX3): 1 pc Binary (BXR/BX3): 2 pc Includes a tube. |

| Part Number | Description | Notes |
|--------------|---|--|
| 4425351 | Filter, inline, for LC-40D/DXR/BXR | Dual (D/DXR/DX3): 1 pc Binary (BXR/BX3): 2 pc |
| 228-57501-92 | Filter, inline | Dual (D/DXR/DX3): 1 pc Binary (BXR/BX3): 2 pc |
| 4426106 | Filter, solvent suction | Dual (D/DXR/DX3): 1 pc Binary (BXR/BX3): 2 pc |
| 4425410 | Nut, PEEK | Used to connect tubing. |
| 4425342 | Nut, male, PEEK, 1.6 mn, narrow head, for 1/16" o.d. tubing | — |
| 4412795 | Nut, male, stainless steel, for 1/16" o.d. tubing | — |
| 5041624 | Plunger with holder assembly and diagram | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 5039287 | Plunger assembly, with diaphragm, for LC-40D | — |
| 4425353 | Plunger seal, 42455 | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 5050410 | Plunger seal, with backup ring | Dual (D/DXR/DX3): 2 pc Binary (BXR/BX3): 4 pc |
| 228-57647-43 | Tool kit | Includes necessary tools for maintenance. |
| 4412690 | Tube, spiral, KS-4 | _ |
| 4413343 | Tubing, ETFE, 1.6 mm o.d. × 0.8 mm i.d., length 1 m | _ |
| 4426176 | Tubing, FEP, 3 mm o.d. × 1.5 mm i.d., length 1 m | — |

Table 4-1 Pump Spare Parts (continued)

| Part Number | Description | Notes |
|--------------|--|--------------------|
| 228-67725-41 | Cap, rinse port, no hole, 10 pcs | — |
| 228-67725-43 | Cover, rinse port | Rinse port cover |
| 4462590 | Ferrule, SIL-30, 3/pkg | — |
| 4426106 | Filter, suction | — |
| 4426113 | Fitting, flangeless P330 | — |
| 4412723 | Fuse 218, 6.3A, 5.2 × 20 | — |
| 228-71840-44 | Label, for 384 well deep well plates (100 pc set) | Recognition labels |
| 228-71840-43 | Label, for 384 well microplates (100 pc set) | Recognition labels |
| 228-71840-42 | Label, for 96 well deep well plates (100 pc set) | Recognition labels |
| 228-71840-41 | Label, for 96 well microplates (100 pc set) | Recognition labels |
| 228-64909-98 | Needle, coated | — |
| 228-64909-97 | Needle, uncoated) | — |
| 4412813 | Nut, male, stainless steel, for 1/16" i.d. tubing (W6 hex portion) | — |
| 5079896 | Plate, micro tube | — |
| 228-35010-92 | Plunger assembly | — |
| 228-71780-41 | Rotor seal, HPV, for SIL-40/40C | — |
| 228-71780-42 | Rotor seal, HPV | — |
| 228-71780-43 | Rotor seal, LPV | — |
| 228-63132-45 | Sample loop, 100 µL | — |
| 228-63132-44 | Sample loop, 50 µL | — |
| 228-63132-45 | Sample loop, for loop injection, 100 μL | — |

 Table 4-2 Autosampler Spare Parts

| Part Number | Description | Notes |
|--------------|---|-------|
| 228-71759-43 | Sample loop, for loop injection, 20 µL | — |
| 228-71759-42 | Sample loop, for loop injection, 5 µL | — |
| 228-71759-44 | Sample loop, for loop injection, 50 µL | |
| 4425339 | Seal plunger, black GFP, for Autosampler Metering Pump | — |
| 228-71781-41 | Seal, HPV (packing), for SIL-40/40C | — |
| 228-64364-42 | Seal, needle | — |
| 228-53184-91 | Tubing, 0.1 × 600 mm, pre- bent stainless steel tubing and fittings | |
| 4426135 | Tubing, FEP, 2 mm i.d. × 3 mm o.d. | — |
| 5079893 | Vial plate, 1 mL | — |
| 5079897 | Vial plate, 1.5 mL | — |
| 5079895 | Vial plate, 10 mL | — |
| 5079894 | Vial plate, 4 mL | — |
| 4412816 | Vial, Shimadzu, 0.3 mL si, 100/pkg | — |
| 4413360 | Vial, Shimadzu, 1.1 mL, 100/ pkg, including caps | |
| 4426268 | Vial, Shimadzu, 1.5 mL, 100/ pkg, including caps | — |
| 4425149 | Vial, Shimadzu, 4 mL pp, 100/pkg | — |
| 4425150 | Vial, Shimadzu, disposable, 200/pkg | |

Table 4-2 Autosampler Spare Parts (continued)

Table 4-3 Degasser Spare Parts

| Part Number | Description | Notes |
|--------------|--|-------|
| 228-56687-43 | Ferrule, white PTFE, for 1/8" o.d. tubing | _ |
| 228-54509-02 | Filter, air intake, 2-pack | _ |
| 228-56687-42 | Nut, for 1/8" o.d. tubing | |

Table 4-4 Oven Spare Parts

| Part Number | Description | Notes |
|-------------|-----------------------------|-------|
| 4412722 | Fuse, 5.0A/T/250V, 5.2 × 20 | — |

Table 4-5 Detector Spare Parts

| Part Number | Description | Notes |
|--------------|---------------------------|-------------------------------------|
| 4425123 | Gasket, flow cell, 2-pack | _ |
| 228-73407-00 | Lamp, deuterium | For the Shimadzu LC-40 UV detector |
| 228-63621-02 | Lamp, deuterium | For the Shimadzu LC-40 PDA detector |
| 228-73443-00 | Lamp, tungsten | For the Shimadzu LC-40 UV detector |
| 228-73309-00 | Lamp, tungsten | For the Shimadzu LC-40 PDA detector |
| 4412685 | Lens, flow cell | _ |

Contact Us

Customer Training

- In North America: NA.CustomerTraining@sciex.com
- In Europe: Europe.CustomerTraining@sciex.com
- Outside the EU and North America, visit sciex.com/education for contact information.

Online Learning Center

SCIEX Now Learning Hub

SCIEX Support

SCIEX and its representatives maintain a staff of fully-trained service and technical specialists located throughout the world. They can answer questions about the system or any technical issues that might arise. For more information, visit the SCIEX website at sciex.com or contact us in one of the following ways:

- sciex.com/contact-us
- sciex.com/request-support

CyberSecurity

For the latest guidance on cybersecurity for SCIEX products, visit sciex.com/productsecurity.

Documentation

This version of the document supercedes all previous versions of this document.

The latest versions of the documentation are available on the SCIEX website, at sciex.com/ customer-documents.

Note: To request a free, printed version of this document, contact sciex.com/contact-us.